

STAIGER - Brass & aluminium valves

#	Model	Way function	Sealing	DN[mm]	P min[bar]	P max[bar]	Kv min[m³/ h]	m[kg]
	MA 122-021	2-way function NO	NBR EPDM FPM	2	0,0	10,0	0,06	0,20
	MA 122-022	2-way function NO	NBR EPDM FPM	2	0,0	10,0	0,06	0,25
	MA 122-023	2-way function NO	NBR EPDM FPM	2	0,0	7,0	0,10	0,20
	MA 122-024	2-way function NO	NBR EPDM FPM	2	0,0	7,0	0,10	0,25
	MA 122-025	2-way function NO	NBR EPDM FPM	3	0,0	5,0	0,17	0,20
	MA 122-026	2-way function NO	NBR EPDM FPM	3	0,0	5,0	0,17	0,25
	MA 122-027	2-way function NO	NBR EPDM FPM	3	0,0	3,0	0,24	0,20
	MA 122-028	2-way function NO	NBR EPDM FPM	3	0,0	3,0	0,24	0,25
	MA 132-009	2-way function NO	NBR EPDM FPM	10	0,0	0,5	1,20	0,41
	MA 132-011	2-way function NO	NBR EPDM FPM	2	0,0	10,0	0,06	0,20
	MA 132-012	2-way function NO	NBR EPDM FPM	2	0,0	10,0	0,06	0,25
	MA 132-013	2-way function NO	NBR EPDM FPM	2	0,0	7,0	0,10	0,20
	MA 132-014	2-way function NO	NBR EPDM FPM	2	0,0	7,0	0,10	0,25
	MA 132-015	2-way function NO	NBR EPDM FPM	3	0,0	5,0	0,17	0,20
	MA 132-016	2-way function NO	NBR EPDM FPM	3	0,0	5,0	0,17	0,25
	MA 132-017	2-way function NO	NBR EPDM FPM	3	0,0	3,0	0,24	0,20
	MA 132-018	2-way function NO	NBR EPDM FPM	3	0,0	3,0	0,24	0,25
	MA 142-001	2-way function NO	NBR EPDM FPM	10	0,0	0,5	1,20	0,41
	MA 152-001	2-way function NO	NBR EPDM FPM	10	0,0	0,5	1,20	0,41
	MA 200-011	2-way function NC	NBR EPDM FPM	0,8	0,0	8,0	0,02	0,05
	MA 200-012	2-way function NC	NBR EPDM FPM	1	0,0	6,0	0,03	0,05
	MA 200-013	2-way function NC	NBR EPDM FPM	1	0,0	5,0	0,04	0,05
	MA 200-014	2-way function NC	NBR EPDM FPM	1	0,0	2,0	0,06	0,05
	MA 200-015	2-way function NC	NBR EPDM FPM	2	0,0	1,0	0,08	0,05
	MA 201-001	2-way function NC	NBR EPDM FPM	1	0,0	20,0	0,03	0,09
	MA	2-way function NC	NBR EPDM	1	0,0	16,0	0,06	0,09

#	Model	Way function	Sealing	DN[mm]	P min[bar]	P max[bar]	Kv min[m³/ h]	m[kg]
	201-002		FPM					
MA	201-003	2-way function NC	NBR EPDM FPM	2	0,0	10,0	0,11	0,09
MA	202-003	2-way function NC	NBR EPDM FPM	2	0,0	25,0	0,11	0,25
MA	202-004	2-way function NC	NBR EPDM FPM	2	0,0	15,0	0,15	0,25
MA	202-005	2-way function NC	NBR EPDM FPM	3	0,0	10,0	0,22	0,25
MA	202-006	2-way function NC	NBR EPDM FPM	3	0,0	7,0	0,25	0,25
MA	210-001	2-way function NC	NBR EPDM FPM	0,8	0,0	8,0	0,02	0,05
MA	210-002	2-way function NC	NBR EPDM FPM	1	0,0	6,0	0,03	0,05
MA	210-003	2-way function NC	NBR EPDM FPM	1	0,0	5,0	0,04	0,05
MA	210-004	2-way function NC	NBR EPDM FPM	1	0,0	2,0	0,06	0,05
MA	210-005	2-way function NC	NBR EPDM FPM	2	0,0	1,0	0,08	0,05
MA	211-001	2-way function NC	NBR EPDM FPM	1	0,0	20,0	0,03	0,09
MA	211-002	2-way function NC	NBR EPDM FPM	1	0,0	16,0	0,06	0,09
MA	211-003	2-way function NC	NBR EPDM FPM	2	0,0	10,0	0,11	0,09
MA	211-007	2-way function NC	NBR EPDM FPM	1	0,0	20,0	0,03	0,10
MA	211-008	2-way function NC	NBR EPDM FPM	1	0,0	16,0	0,06	0,10
MA	211-009	2-way function NC	NBR EPDM FPM	2	0,0	10,0	0,11	0,10
MA	211-015	2-way function NC	NBR EPDM FPM	1	0,0	8,0	0,05	0,10
MA	211-016	2-way function NC	NBR EPDM FPM	1	0,0	8,0	0,05	0,10
MA	221-004	2-way function NC	NBR EPDM FPM	1	0,0	20,0	0,03	0,10
MA	221-005	2-way function NC	NBR EPDM FPM	1	0,0	16,0	0,06	0,10
MA	221-006	2-way function NC	NBR EPDM FPM	2	0,0	10,0	0,11	0,10
MA	221-007	2-way function NC	NBR EPDM FPM	2	0,0	10,0	0,11	0,10
MA	222-001	2-way function NC	NBR EPDM FPM	2	0,0	25,0	0,11	0,20
MA	222-002	2-way function NC	NBR EPDM FPM	2	0,0	25,0	0,11	0,25
MA	222-003	2-way function NC	NBR EPDM FPM	2	0,0	15,0	0,15	0,20
MA	222-004	2-way function NC	NBR EPDM FPM	2	0,0	15,0	0,15	0,25

#	Model	Way function	Sealing	DN[mm]	P min[bar]	P max[bar]	Kv min[m ³ / h]	m[kg]
	MA 222-005	2-way function NC	NBR EPDM FPM	3	0,0	10,0	0,22	0,20
	MA 222-006	2-way function NC	NBR EPDM FPM	3	0,0	10,0	0,22	0,25
	MA 222-007	2-way function NC	NBR EPDM FPM	3	0,0	7,0	0,29	0,20
	MA 222-008	2-way function NC	NBR EPDM FPM	3	0,0	7,0	0,29	0,25
	MA 222-033	2-way function NC	NBR EPDM FPM	2	0,0	25,0	0,11	0,17
	MA 222-034	2-way function NC	NBR EPDM FPM	2	0,0	25,0	0,11	0,18
	MA 223-002	2-way function NC	NBR EPDM FPM	4	0,0	7,0	0,39	0,32
	MA 223-003	2-way function NC	NBR EPDM FPM	4	0,0	7,0	0,39	0,32
	MA 232-001	2-way function NC	NBR EPDM FPM	2	0,0	25,0	0,11	0,20
	MA 232-002	2-way function NC	NBR EPDM FPM	2	0,0	25,0	0,11	0,25
	MA 232-003	2-way function NC	NBR EPDM FPM	2	0,0	15,0	0,15	0,20
	MA 232-004	2-way function NC	NBR EPDM FPM	2	0,0	15,0	0,15	0,25
	MA 232-005	2-way function NC	NBR EPDM FPM	3	0,0	10,0	0,22	0,20
	MA 232-006	2-way function NC	NBR EPDM FPM	3	0,0	10,0	0,22	0,25
	MA 232-007	2-way function NC	NBR EPDM FPM	3	0,0	7,0	0,29	0,20
	MA 232-008	2-way function NC	NBR EPDM FPM	3	0,0	7,0	0,29	0,25
	MA 232-009	2-way function NC	NBR EPDM FPM	5	0,0	3,0	0,48	0,25
	MA 232-019	2-way function NC	NBR EPDM FPM	10	0,0	0,5	1,20	0,41
	MA 233-004	2-way function NC	NBR EPDM FPM	1	0,0	80,0	0,03	0,40
	MA 233-005	2-way function NC	NBR EPDM FPM	2	0,0	30,0	0,11	0,40
	MA 233-006	2-way function NC	NBR EPDM FPM	3	0,0	15,0	0,23	0,40
	MA 233-007	2-way function NC	NBR EPDM FPM	4	0,0	8,0	0,39	0,40
	MA 233-008	2-way function NC	NBR EPDM FPM	5	0,0	5,0	0,48	0,40
	MA 233-009	2-way function NC	NBR EPDM FPM	6	0,0	3,0	1,10	0,40
	MA 242-001	2-way function NC	NBR EPDM FPM	3	0,0	10,0	0,22	0,20
	MA 242-002	2-way function NC	NBR EPDM FPM	3	0,0	7,0	0,29	0,20
	MA	2-way function NC	NBR EPDM	4	0,0	5,0	0,39	0,20

#	Model	Way function	Sealing	DN[mm]	P min[bar]	P max[bar]	Kv min[m³/ h]	m[kg]
	242-003		FPM					
	MA 242-004	2-way function NC	NBR EPDM FPM	5	0,0	3,0	0,48	0,20
	MA 242-005	2-way function NC	NBR EPDM FPM	10	0,0	0,5	1,20	0,41
	MA 242-012	2-way function NC	NBR EPDM FPM	8	0,0	1,0	0,85	0,41
	MA 252-001	2-way function NC	NBR EPDM FPM	10	0,0	0,5	1,20	0,41
	MA 301-001	3-way function NC	NBR EPDM FPM	1	0,0	10,0	0,03	0,09
	MA 301-002	3-way function NC	NBR EPDM FPM	1	0,0	6,0	0,06	0,09
	MA 301-003	3-way function NC	NBR EPDM FPM	2	0,0	3,0	0,11	0,09
	MA 302-001	3-way function NC	NBR EPDM FPM	1	0,0	10,0	0,06	0,24
	MA 302-002	3-way function NC	NBR EPDM FPM	2	0,0	6,0	0,11	0,24
	MA 302-003	3-way function NC	NBR EPDM FPM	2	0,0	4,0	0,18	0,24
	MA 302-004	3-way function NC	NBR EPDM FPM	1	0,0	10,0	0,06	0,24
	MA 302-005	3-way function NC	NBR EPDM FPM	2	0,0	6,0	0,11	0,24
	MA 302-006	3-way function NC	NBR EPDM FPM	2	0,0	4,0	0,18	0,24
	MA 311-001	3-way function NC	NBR EPDM FPM	1	0,0	10,0	0,03	0,09
	MA 311-002	3-way function NC	NBR EPDM FPM	1	0,0	6,0	0,06	0,09
	MA 311-003	3-way function NC	NBR EPDM FPM	2	0,0	3,0	0,11	0,09
	MA 311-007	3-way function NC	NBR EPDM FPM	1	0,0	10,0	0,03	0,10
	MA 311-008	3-way function NC	NBR EPDM FPM	1	0,0	6,0	0,06	0,10
	MA 311-009	3-way function NC	NBR EPDM FPM	2	0,0	3,0	0,11	0,10
	MA 311-020	3-way function NC	NBR EPDM FPM	1	0,0	8,0	0,05	0,10
	MA 311-024	3-way function NC	NBR EPDM FPM	1	0,0	8,0	0,05	0,10
	MA 321-004	3-way function NC	NBR EPDM FPM	1	0,0	10,0	0,03	0,10
	MA 321-005	3-way function NC	NBR EPDM FPM	1	0,0	6,0	0,06	0,10
	MA 321-006	3-way function NC	NBR EPDM FPM	2	0,0	3,0	0,11	0,10
	MA 322-005	3-way function NC	NBR EPDM FPM	1	0,0	12,0	0,03	0,20
	MA 322-006	3-way function NC	NBR EPDM FPM	1	0,0	10,0	0,06	0,20

#	Model	Way function	Sealing	DN[mm]	P min[bar]	P max[bar]	Kv min[m³/ h]	m[kg]
	MA 322-007	3-way function NC	NBR EPDM FPM	2	0,0	8,0	0,11	0,20
	MA 322-008	3-way function NC	NBR EPDM FPM	2	0,0	6,0	0,12	0,20
	MA 323-002	3-way function NC	NBR EPDM FPM	2	0,0	7,0	0,15	0,32
	MA 323-003	3-way function NC	NBR EPDM FPM	2	0,0	7,0	0,15	0,32
	MA 333-004	3-way function NC	NBR EPDM FPM	1	0,0	16,0	0,03	0,40
	MA 333-005	3-way function NC	NBR EPDM FPM	1	0,0	12,0	0,06	0,40
	MA 333-006	3-way function NC	NBR EPDM FPM	2	0,0	10,0	0,11	0,40
	MA 333-007	3-way function NC	NBR EPDM FPM	2	0,0	6,0	0,15	0,40
	MA 333-008	3-way function NC	NBR EPDM FPM	3	0,0	4,0	0,23	0,40
	MA 710-010	2-way function, multiple	NBR EPDM FPM	0,8	0,0	8,0	0,02	0,10
	MA 710-011	2-way function, multiple	NBR EPDM FPM	0,8	0,0	8,0	0,02	0,20
	MA 710-012	2-way function, multiple	NBR EPDM FPM	0,8	0,0	8,0	0,02	0,30
	MA 710-013	2-way function, multiple	NBR EPDM FPM	0,8	0,0	8,0	0,02	0,40
	MA 710-014	2-way function, multiple	NBR EPDM FPM	1	0,0	6,0	0,03	0,10
	MA 710-015	2-way function, multiple	NBR EPDM FPM	1	0,0	6,0	0,03	0,20
	MA 710-016	2-way function, multiple	NBR EPDM FPM	1	0,0	6,0	0,03	0,30
	MA 710-017	2-way function, multiple	NBR EPDM FPM	1	0,0	6,0	0,03	0,40
	MA 710-018	2-way function, multiple	NBR EPDM FPM	1	0,0	5,0	0,04	0,10
	MA 710-019	2-way function, multiple	NBR EPDM FPM	1	0,0	5,0	0,04	0,20
	MA 710-020	2-way function, multiple	NBR EPDM FPM	1	0,0	5,0	0,04	0,30
	MA 710-021	2-way function, multiple	NBR EPDM FPM	1	0,0	5,0	0,04	0,40
	MA 710-022	2-way function, multiple	NBR EPDM FPM	1	0,0	2,0	0,06	0,10
	MA 710-023	2-way function, multiple	NBR EPDM FPM	1	0,0	2,0	0,06	0,20
	MA 710-024	2-way function, multiple	NBR EPDM FPM	1	0,0	2,0	0,06	0,30
	MA 710-025	2-way function, multiple	NBR EPDM FPM	1	0,0	2,0	0,06	0,40
	MA 710-026	2-way function, multiple	NBR EPDM FPM	2	0,0	1,0	0,08	0,10
	MA	2-way function,	NBR EPDM	2	0,0	1,0	0,08	0,20

#	Model	Way function	Sealing	DN[mm]	P min[bar]	P max[bar]	Kv min[m³/ h]	m[kg]
	710-027	multiple	FPM					
MA	710-028	2-way function, multiple	NBR EPDM FPM	2	0,0	1,0	0,08	0,30
MA	710-029	2-way function, multiple	NBR EPDM FPM	2	0,0	1,0	0,08	0,40
MA	721-022	2-way function, multiple	NBR EPDM FPM	1	0,0	20,0	0,03	0,19
MA	721-023	2-way function, multiple	NBR EPDM FPM	1	0,0	20,0	0,03	0,35
MA	721-024	2-way function, multiple	NBR EPDM FPM	1	0,0	20,0	0,03	0,52
MA	721-025	2-way function, multiple	NBR EPDM FPM	1	0,0	16,0	0,06	0,19
MA	721-026	2-way function, multiple	NBR EPDM FPM	1	0,0	16,0	0,06	0,35
MA	721-027	2-way function, multiple	NBR EPDM FPM	1	0,0	16,0	0,06	0,52
MA	721-028	2-way function, multiple	NBR EPDM FPM	2	0,0	10,0	0,11	0,19
MA	721-029	2-way function, multiple	NBR EPDM FPM	2	0,0	10,0	0,11	0,35
MA	721-030	2-way function, multiple	NBR EPDM FPM	2	0,0	10,0	0,11	0,52